

(MVDPTF NPOJUPSJOH



3FBTPOBCMF BEKVTUNF

5IF GSF RVFODZ BOE UJNJOH PG HMV DPTF NPOJUPSJOH FOUT UIBU TDIPP
VBSZ GSPN TUVEFOU DBO DIFDL UIFJS HMV DPTF NPOJUPSJOH DBO CF EF
OFFE UP DIFDL

- v #FGPSF FBUJOH
- v #FGPSF FYFSDJTJOH
- v *G UIFZ BSF OPU GFFMJOH XFMM
- v *G UIFZ BTL UP MPX PS IJHI
- v O UFS UJNFT BT EHTF SEUJCFEF U O TU NBOBHFNFUO QMBO %.1

v &OTVVSF UIF TUVEFOU DBO DIFDL UIFJS HMV DPTF NPOJUPSJOH DBO CF EF JNNFE.BUFMZ JG UIF TON B OEU IBT TJH TZNQUPNT PG B MPM V S P E F J M F W F M

v &OTVVSF HMVDPTF NPOJUPSJOH DBO CF EF JNNFE.BUFMZ JG UIF TON B OEU IBT TJH TZNQUPNT PG B MPM V S P E F J M F W F M

v &OTVVSF TUVEFOU IBT BDDFTT UP UIF CB TOL UP XBTI IBOET

v &OTVVSF QSJWBDZGJPS EUBW JNUB/EMDU XIFO DIFDLJOH CMPE HMVDPTF MFWFMT BOE JTVMJO JG SFRVJSFE

*U JT B SFRVJSFNFOU UIBU TDIPP TUBGG UBLE BDUJPO TUP
TVQQPSU B TUVEFOU B OEU IBT QBSUJDIQBUJF JG
BMM BTQFDUT PG TBN PPM WJGJSUQFFST
5IFTF BDUJPOT BSF DBMMFE SFBTPOBCMF BEKVTUNF
DMBTTSPPN UIF TUVEFOU T HMVDPTF NPOJUPSJOH
FRVJQNFOU BOE UIFJS IZQP LJU NVTU CF

-JOL

<https://www.ndss.com.au/wp-content/uploads/fact-sheets/fact-sheet-blood-glucose-monitoring.pdf>